

ULANO PRESS WASH

Solvent based screen cleaner for manual application

ULANO PRESS WASH is a universally applicable screen cleaner for the removal of commonly used printing inks from printing tables and for cleaning tools and squeegees. It is applied wherever a screen cleaner is used manually. **ULANO PRESS WASH** is colourless, mild in odour, has little attack on photo emulsions and is free from halogenated hydrocarbons (e.g. CFC). **ULANO PRESS WASH** was made for manual application, a comparable cleaner for automated cleaning units is **ULANO SV 61**.

APPLICATION

Apply the screen cleaner onto both sides of the screen, then remove inks with a rag or brush:

Due to the favourable boiling range the screen cleaner can be distilled under vacuum as well as under normal conditions. As the cleaner also absorbs solvents from the printing inks we cannot guarantee a constant solvent composition – especially after having distilled several times.

Notice: During the distillation of the cleaner, the conductivity, formulated due to safety reasons, gets lost. Flowing or aerosol solvents may gain electrostatic charge. If grounding does not exist or is blocked, they might ignite and cause explosions.

Notice: **ULANO PRESS WASH** consists of organic solvents which may attack various plastics, lacquers or coatings. Therefore please check if working tools, accessories, floor or wall coatings are resistant against **ULANO PRESS WASH**. If required, carry out trials beforehand.

PRODUCT DATA

Colour:	colourless, clear
Boiling range:	approx. 130-160°C
Density (20°C):	approx. 0,89 g/cm ³
Flash point:	approx. +42°C

HEALTH HAZARDS/ ENVIRONMENTAL PROTECTION

When working with **ULANO PRESS WASH**, wear safety goggles and gloves.
Do not breathe fumes and ensure sufficient ventilation of the working areas.
Do not empty into drains.

Please follow further information given in the material safety data sheet.

STORAGE

3 years (at 20-25°C and original container)

This data sheet is for your information. A legally binding assurance of the product's suitability for a specific purpose cannot be derived from it and no liability can be assumed for any potential damages that may occur. Liability for damages due to a slightly negligent breach of duty on our part or on the part of our legal representative or vicarious agent is excluded. Our liability for damages due to injury to life, body or health is not covered by this limitation of liability. Our products are subject to continuous production and quality control and leave our company in perfect condition.

This product is intended solely for industrial applications and not for use by the end consumer. We recommend to our customers to always test the product themselves since only in this way – also after production – can the freedom from certain substances and the suitability for a particular purpose be verified. The user has to test the product for suitability for the intended application. We reserve the right to modify product specifications. Tests that are not part of the specifications of the product mentioned above have not been carried out. All information applies only to the above-mentioned product obtained from Kissel + Wolf GmbH. It corresponds to our current state of knowledge, but is not a confirmation of a particular application and is not automatically replenished.

All information is valid for a maximum of 12 months from the date stated above (annexes may be provided with their own date). Any industrial property rights as well as existing laws and regulations are to be observed by the recipient of our product on his own responsibility. Intellectual property rights of third parties must be observed. Our terms and conditions of sale and delivery shall apply.